PRODUCT CATALOG

BRECKWELL
HEARTH






Table of **CONTENTS**

GAS FIREPLACES, STOVES & INSERTS - 3

WALL HEATERS - 10

WOOD STOVES - 14

PELLET STOVES - 20

ASH VACUUM - 26

GAS FIREPLACES, STOVES & INSERTS



BH3024FP Direct Vent Gas Fireplace



Are you ready to remodel your existing home? Are you building a new home? The BH3024FP is the right choice for you. This fireplace offers the right size for todays homes and is backed by the best warranty in the industry. You'll love the detailed log craftsmanship, the dancing flames and the affordable luxury it brings as a focal point in your home.

LOG OPTIONS:

Ridgewood Timber

DECORATIVE LINER OPTIONS:

Black Tie

FRONT OPTIONS:

5" Sage

FEATURES

Blower Standard 130CFM

4" x 6" Vent Size

Rear or Top Vent Capabilities

---

6 levels of heat output from

27,500 BTUS high to 16,500 BTUS low

Multi-Function Thermostatic Remote Control standard with 6 levels of heat output, blower speed & light intensity

---

Dimensions:

33"H x 35.5"W x 15.88"D

BH2613I Direct Vent Gas Insert



FEATURES

6 levels of heat output from

18,500 BTUS high to 10,000 BTUS low

Blower Standard 130CFM

3" x 3" Colinear Vent

Viewing area: 338 SQ. IN.

Multi-Function Thermostatic Remote Control standard with 6 levels of heat output, blower speed & light intensity

---

Dimensions:

19.63"H x 30.5"W x 17"D

Transform your dark, drafty wood-burning fireplace into a warm, welcoming centerpiece. Our insert is offered in two sizes to complement your home with style and comfort. You'll love the new look of your fireplace with high-detail logs that match your decor. Stay cozy with heat adjustment that can be customized to meet your warmth needs.

LOG OPTIONS:

Ridgewood Timber

DECORATIVE LINER OPTIONS:

Black Tie

BH2818I Direct Vent Gas Insert



The Breckwell gas inserts offer a warm welcome for your home but have a special flair. In the off season, these models function as a beautiful focal point that will complement your décor. Our high detail logs, liners, and fronts can be customized to match your style. The Proflame system offers a variable light intensity, and the standard remote control makes this an easy-to-use beauty!

LOG OPTIONS:

Ridgewood Timber

DECORATIVE LINER OPTIONS:

Black Tie

FEATURES

6 levels of heat output from

26,000 BTUS high to 12,000 BTUS low

Blower Standard 130CFM

3″ x 3″ Colinear Vent

Viewing area: 503 SQ. IN.

Multi–Function Thermostatic Remote Control standard with 6 levels of heat output, blower speed & light intensity

---

Dimensions:

24.63"H x 32.5"W x 17"D

BH23 Direct Vent Cast Iron Freestanding Gas Stove



FEATURES

180 sq. in viewing area

Up to 23,500 BTUS

130 CFM blower

Logs and faux brick liner included

Remote control standard

Dimensions:

28.75"H x 26.5"W x 25.5"D

The Breckwell BH23 combines the beauty and durability of a cast iron wood stove with the flexible installation and convenience of gas. The solid cast iron fireplace on sturdy legs features a standard remote control and a large glass viewing area to maximize ambience. Proflame 2 Remote System included; Easily adjustable flame height, accent lighting and blower speed with the included remote control. Add beautiful warmth to any room in your home with this classic addition.

BH23P Direct Vent Cast Iron Pedestal Gas Stove



FEATURES

180 sq. in viewing area

Up to 23,500 BTUS

150 CFM blower

Logs and faux brick liner included

Remote control standard

Dimensions:

31.75"H x 23.75" W x 21.25 D

The Breckwell BH23P combines the beauty and durability of a cast iron wood stove with the flexible installation and convenience of gas. The solid cast iron fireplace on sturdy legs features a standard remote control and a large glass viewing area to maximize ambience. Proflame 2 Remote System included; Easily adjustable flame height, accent lighting and blower speed with the included remote control. Add beautiful warmth to any room in your home with this classic addition.

BH32VF Vent Free Cast Iron Freestanding Gas Stove



The BH32VF gas stove delivers 31,000 BTU's of clean heat. Because it does not require a vent, it is 99 percent efficient, so you get your money's worth every time you use this stove. Friends and family alike will be drawn to the classic design of this antique style stove and are guaranteed to enjoy the warmth it provides. In addition, this stove does not need electricity to operate, meaning it is the perfect stove to own if the power is out. Standard operation is simple, just turn the switch on, select your heat output and enjoy the warmth. This stove can be hooked up to any standard millivolt thermostat allowing it to cycle on and off as needed.

FEATURES

180 sq in viewing area

Freestanding on legs

Up to 31,000 BTUS

Logs included

Available in Propane and Natural Gas

Dimensions:

28.75"H x 26.5"W x 25.5"D

WALL HEATERS



BHWH11 Direct Vent Wall Heater



FEATURES

Up to 375 sq. ft.

11,000 BTU

Available in Propane or Natural Gas

Matchless Piezo Lighting

Sealed Burn System

Fits wall from 4.5" to 10" thick



The Breckwell BHWH11 wall heater is a space-saving direct vent furnace design mounts to an exterior wall and the adjustable vent assembly adjusts to fit walls from 4-1/2 inches to 10 inches thick. For clean, comfortable heat when and where you want it, the gas flame is completely sealed inside, away from all contact with room air. Air necessary for combustion is drawn into the chamber from outside through the vent and combustion products are vented directly to the outside. The direct vent dual fuel wall furnace is designed to heat up to 375 Sq. Ft.

Dimensions:

20"H x 17.36"W x 6.61"D

BHWH17 Direct Vent Wall Heater



FEATURES

Up to 570 sq. ft.

17,000 BTU

Available in Propane or Natural Gas

Matchless Piezo Lighting

Sealed Burn System

Fits wall from 4.5" to 10" thick



The Breckwell BHWH17 wall heater is a space-saving direct vent furnace design mounts to an exterior wall and the adjustable vent assembly adjusts to fit walls from 4-1/2 inches to 10 inches thick. For clean, comfortable heat when and where you want it, the gas flame is completely sealed inside, away from all contact with room air. Air necessary for combustion is drawn into the chamber from outside through the vent and combustion products are vented directly to the outside. The direct vent dual fuel wall furnace is designed to heat up to 570 Sq. Ft.

Dimensions:

20"H x 27.36"W x 6.61"D

BHWH25 Direct Vent Wall Heater



FEATURES

Up to 825 sq. ft.

25,000 BTU

Available in Propane or Natural Gas

Matchless Piezo Lighting

Sealed Burn System

Fits wall from 4.5" to 10" thick



The Breckwell BHWH25 wall heater is a space-saving direct vent furnace design mounts to an exterior wall and the adjustable vent assembly adjusts to fit walls from 4-1/2 inches to 10 inches thick. For clean, comfortable heat when and where you want it, the gas flame is completely sealed inside, away from all contact with room air. Air necessary for combustion is drawn into the chamber from outside through the vent and combustion products are vented directly to the outside. The direct vent dual fuel wall furnace is designed to heat up to 825 Sq. Ft.

Dimensions:

26.3"H x 32.28"W x 8.74"D

WOOD STOVES



SW500 Wood Stove



FEATURES

Up to 750 sq. ft.

26,000 BTU

11″ Log Length

6″ flue

1.7 g/hr

Mobile Home/Transportable Building

Approved US/Canada

Dimensions:

33.5"H x 16.4"W x 13"D

The Breckwell SW500 is a one-of-a kind space saving wood stove that efficiently heats up to 750 sq. ft. The SW500 would be ideal in smaller homes or zone heating situations and can burn up to 8 hours. The firebox accepts logs up to 11" in size with an output of 26,000 BTU's. This combination of modern styling, and outstanding heat output, and convenience provides a great solution to your smaller heating needs.

CH11 Wood Stove



FEATURES

Up to 1,200 sq. ft.

68,000 BTU

18″ Log Length

6″ flue

Mobile Home/Transportable Building

Approved US/Canada

Dimensions:

31"H x 22.5"W x 21.5"D

The Breckwell CH11 is a powerful space saving wood stove that efficiently heats up to 1,200 sq. ft. The firebox accepts logs up to 18" in size with an output of 68,000 BTU's and an airwash glass system to keep your windows clear and clear. This combination of modern styling, and outstanding heat output, and convenience provides a great solution for your larger living spaces.

CH20E Wood Stove



FEATURES

Up to 2,000 sq. ft.

89,000 BTU

21″ Log Length

6″ flue

Mobile Home/Transportable Building

Approved US/Canada

Dimensions:

32"H x 27"W x 20.76"D

The Breckwell CH20 is a powerful wood stove that efficiently heats up to 2,000 sq. ft. The firebox accepts logs up to 21" in size with an output of 89,000 BTU's and an airwash glass system to keep your windows clear and clear. This combination of modern styling, and outstanding heat output, and convenience provides a great solution to for your larger living spaces.

CH25 Wood Stove



FEATURES

Up to 2,500 sq. ft.

112,800 BTU

21″ Log Length

6″ flue

Mobile Home/Transportable Building

Approved US/Canada

Dimensions:

31.3"H x 29.4"W x 25.3"D

The Breckwell CH25 is a powerful space saving wood stove that efficiently heats up to 2,500 sq. ft. The firebox accepts logs up to 21" in size with an output of 112,800 BTU's and an airwash glass system to keep your windows clear and clear. This combination of modern styling, and outstanding heat output, and convenience provides a great solution for your larger living spaces.

CH18 Wood Stove Insert



FEATURES

Up to 1,200 sq. ft.

68,000 BTU

18″ Log Length

6″ flue

Blower Included

Mobile Home/Transportable Building Approved US/Canada

Dimensions:

21.75"H x 26.5"W x 15.5"D

The Breckwell CH18 is a powerful wood stove insert that efficiently heats up to 1,200 sq. ft. The firebox accepts logs up to 18" in size with an output of 68,000 BTU's and an airwash glass system to keep your windows clear and clear. Transform any old and ineficient fireplace into a high performing and visially stunning wood stove.



PELLET STOVES

SP500 Pellet Stove **LITTLE "E"**



FEATURES

25,000 BTU's, 1,300 Sq. Ft.

40 lb. Capacity

Digital Controls, 163 lbs.

Mobile Home/Transportable Building

Approved US/Canada

---

*Available as a freestanding model only

Dimensions:

32.25"H x 19"W x 23"D

The Breckwell SP500 small footprint wood pellet stove efficiently heats up to 1,300 sq ft. The SP500 wood pellet stove incorporates a largest in class 40 lb. pellet hopper for up to 30 hours of continuous warmth and comfort. The advanced AURORA diverse airflow burner system provides your family with a beautiful flame and an unmatched increase in airflow and heat output. Ask your local hearth shop for the Breckwell Little E today.

SP1000E Pellet Stove **BIG E**



FEATURES

47,000 BTU's, 2,200 Sq. Ft., 1.0g/hr.

140 lb. Capacity, 120 CFM Blower

Digital Controls, Ash Drawer, 280 lbs.

Mobile Home/Transportable Building Approved US/Canada

---

*Available as a freestanding model only

Dimensions:

33"H x 24"W x 25.75"D

The Breckwell SP1000 was named the Big E for its ease of use and economical value. This powerhouse of a pellet stove remains a constant favorite year after dependable year. The Big E features the smoked mirrored glass and arched door with stay-cool wooden handle. The staggering 140 lb hopper can burn up to three days on a single load of fuel. This all-around favorite features a removable ash pan and 120 CFM blower, and a dependability with more features and less cost than many other comparable pellet stoves. Ask your local hearth shop for the Breckwell Big E today.

SP23L SONORA Pellet Stove



FEATURES

42,000 BTU's, 2,000 Sq. Ft., 0.49 g/hr.

60 lb. Capacity, 120 CFM Blower

Digital Controls, 185 lbs.

Mobile Home/Transportable Building

Approved US/Canada

---

*Available as a freestanding model only

Dimensions:

29.25"H x 22.5"W x 27"D

The Breckwell SP23L Sonora boasts a 60 lb hopper and 42,000 BTUs output capable of heating up to 2,000 sq. ft. and is approved for mobile home use in both the U.S. and Canada. It features graceful Queen Anne legs and mirrored glass, so you see the flames when it is burning, but hides the interior during off season. With its practical, stay-cool wooden handle and beautiful arched door, the Sonora is a combination of style and warmth you need to see to believe. An optional brick kit adds style.

SP22E MAVERICK Pellet Stove



The super-efficient, clean-burning, EPA certified Breckwell Maverick is truly a pleasure to operate. With the easy-to-use digital control and automatic ignition, just set the temperature you want and the stove will do the rest. The SP22 features mirrored glass and a 45 lb. hopper capacity that can provide heat for up to 45 hours before needing reloading. The Maverick is voted a long-enduring favorite in the pellet stove market and is available on a pedestal or as an insert with the same great features.

Dimensions:

28.5"H x 21.5"W x 24.5"D

FEATURES

42,000 BTU's, 1,500 Sq. Ft., 0.49 g/hr.

45 lb. Capacity, 120 CFM Blower

Digital Controls, 165 lbs.

Mobile Home/Transportable Building

Approved US/Canada

---

*Insert Kit: order either the Standard Surround (39"W x 30"H SA22IM) or Large Surround (42"W x 32"H SA22IL) For pedestal installation, order SA22P and for installation on legs, order SA22LK

SP24IE BLAZER INSERT Pellet Stove



FEATURES

47,000 BTU's, 2,200 Sq. Ft., 0.49 g/hr.

70 lb. Capacity, 120 CFM Blower

Digital Controls, 210 lbs.

Shown with SA24SF Flashing

Mobile Home/Transportable Building

Approved US/Canada

Dimensions:

21"H x 27.5"W x 17.75"D

The Breckwell Blazer pellet stove is the perfect insert for your fireplace. It features side bay windows so you can enjoy the beauty of the flames from both sides as well as the oval front viewing door. An optional brick kit adds style to the firebox. With the ease of a 70 lb. hopper, and two size surround options, the SP24i Blazer will bring warmth and beauty to your home, and comfort to your heart.

BHAV Ash Vacuum



FEATURES

2.5 HP Motor

6.5 Gallon Capacity

4 ft. Suction Hose


Designed for warm ashes

Dimensions:

18"H x 13"W x 13"D

Cleanup without the mess. The BHAV is built for the reality of wood and pellet stove ownership — fine ash, tight corners, and the need to clean up while the firebox is still warm. Safe for both warm and cold ash, it handles the job without waiting for a full cooldown.

When the job is done, integrated cord and hose storage keeps everything contained and ready for next time.


BRECKWELL
HEARTH
www.breckwell.com
BWCAT26-US